VECTRA-P

High cabinet 4 doors 80 cm.



Indexlivingmall

CONNECT SYSTEM

1



2



3











M4x16mm.












M5x50mm.
Ø7x50
M4x16mm.


M5x50mm.
M4x16mm.

The Standard for identifying which mounted safety fall protection fitting to use

Note : That children's products must be installed with all anti-falling fittings.

■ Mounted fall protection fittings



■ Category : Cabinet with open doors



Height from 1200 and up, depth of not more than 300.

Height from 1600 and up, depth of not more than 400.

Height from 2000 and up, depth of not more than 500.

■ Category : Chest of drawers



Height from 600 and up, depth of not more than 300.

Height from 600 and up, depth of not more than 400.

Height from 600 and up, depth of not more than 500.

■ Category : Sliding door cabinet / Open cabinet



Height from 1600 and up, depth of not more than 300.

Height from 1600 and up, depth of not more than 400.

HARDWARE

-BODY SET



X 12

X12



X 12



X 6



X12



X 12



X 12



X 2

X 4

X 32



X 8



X 4

X 1



X 1



X 1



X 1

- DOORS SET



X 8

X 48



X 2



X 8



X 2



X 2



X 4

X 8

X 2



X 4

ASSEMBLY

-BODY SET

1.



2.

-BODY SET



-BODY SET

3.



4.



5.


237
60
22
360
13


4x1/2"...x4
X2
1mm
M4x25...x12
13
13
13
13

6.


X 12


M3.5x20...x12



7.





ASSEMBLY

-DOORS SET

8.



M4x22...x8



3.5x13...x2



6x3/4"...x4



5x3/4"...x8