VOQUE

Wardrobe 3 doors



Indexlivingmall

CONNECT SYSTEM

1



2



3













M3.5x20mm.







M4x16mm.







M3.5x20mm.









M4x16mm.



(FULL OVERLAY)



(HALF OVERLAY)





x2







The Standard for identifying which mounted safety fall protection fitting to use

Note : That children's products must be installed with all anti-falling fittings.

Mounted fall protection fittings



Category : Cabinet with open doors



Height from 1200 and up, depth of not more than 300.

Height from 1600 and up, depth of not more than 400.

Height from 2000 and up, depth of not more than 500.

Category : Chest of drawers



Height from 600 and up, depth of not more than 300.

Height from 600 and up, depth of not more than 400.

Height from 600 and up, depth of not more than 500.

Category : Sliding door cabinet / Open cabinet



Height from 1600 and up, depth of not more than 300.

Height from 1600 and up, depth of not more than 400.

HARDWARE

-BODY SET



x 16

x 16

x 20



x 17



x 12



x 2



x 2



x 2



x 1

x 2



x 7



x 2

M3.5x13mm.

x 4



M4x16mm.

x 92

M3.5x20mm.

x 11

M4x50mm.

x 8

M4x13mm.

x 11



M4x16mm.

x 15



M4x45mm.

x 3



x 2

M5x50mm.

x 2

-DOOR SET



(FULL OVERLAY)

x 8



(HALF OVERLAY)

x 4

x 9

x 3

M4x16mm.

x 48

M4x25mm.

x 3

ASSEMBLY

-BODY SET

1.



2.



3.



4.



5.


x2
M4x13mm. x8
14
11
890 mm.
770 mm.
64 mm.
ø3x5

6.


M4x13mm. x 3
12
12
12
x2
M4x16mm. x11

7.



ASSEMBLY

-DOOR SET

8.



9.